


Power cable

Halogen-free, flame retardant



Construction:

- 1. Conductor: Stranded, annealed copper wire class 5 IEC 60228.
- 2. Insulation: Flame retardant polyolefin.
- 3. Sheath: Flame retardant, polyolefin. Example of marking: "NKT TFL103105/08 S1Z1Z1 2 AWG (35 mm²) max 600 V 90°C DRY (UL) E194163 TCOPC"

Application:

Halogen free, flame retardant cable for connection of batteries, power distribution or grounding. CPR and UL listed. Indoor use.

Properties:

Rated voltage	Max 600 V	Fire classification	IEC 60332-3-24 (Cat C) UL 1685, Vertical Tray CPR Class D _{ca}
Minimum operating temperature	-20°C (-40°C when fixed)	Fulfils low voltage directive, CE	Yes
Maximum operating temperature	+90°C	Fulfils RoHS	Yes
Minimum bending radius	5 x Outer diameter	Fulfils REACH	Yes

Technical data:

No. of cores and cross-section mm ²	Outer diameter mm	Cable weight kg/km	Effective resistance of conductor Ω/km	Sheath color	Part number
1 x 25 (4AWG)	10.5	280	0.78	Black	TFL103104/00
1 x 25 (4AWG)	10.5	280	0.78	Grey	TFL103104/08
1 x 35 (2AWG)	11.0	360	0.55	Black	TFL103105/00
1 x 35 (2AWG)	11.0	360	0.55	Grey	TFL103105/08
1 x 50 (1AWG)	13.0	510	0.39	Black	TFL103106/00
1 x 50 (1AWG)	13.0	510	0.39	Grey	TFL103106/08
1 x 70 (2/0AWG)	15.2	710	0.27	Black	TFL103107/00
1 x 70 (2/0AWG)	15.2	710	0.27	Grey	TFL103107/08
1 x 95 (3/0AWG)	17.5	920	0.21	Black	TFL103108/00
1 x 95 (3/0AWG)	17.5	920	0.21	Grey	TFL103108/08
1 x 150 (250kcmil)	21.5	1440	0.13	Black	TFL103110/00
1 x 150 (250kcmil)	21.5	1440	0.13	Grey	TFL103110/08

All rights reserved. Any unauthorized usage, redistribution or reproduction of part or all of the content in any form will constitute an infringement of copyright. The data are only indicative and should not be considered a binding representation or warranty from NKT concerning a product's properties or usability. The data page is not exhaustive and should be read in conjunction with NKT other product data sheets, whether published or not. NKT reserves the right to change the data page without prior notice.

Influence on the environment. The product does not have any negative influence on the environment.